



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.




Fig. II.





Fig. I.




Fig. II.





Fig. III.



IX. *A Contrivance to make the Poles of the Diurnal Motion in a Celestial Globe pass round the Poles of the Ecliptic. Invented by John Senex, F. R. S. read at a Meeting of the Royal Society, May 4. 1738.*

THE Poles of the Diurnal Motion do not enter into the Globe, but are affix'd at one End, to two Shoulders or Arms of Brass, at the Distance of 23 Degrees and an half from the Poles of the Ecliptic. These Shoulders at the other End are strongly fastned on to an Iron Axis, which passeth through the Poles of the Ecliptic, and is made to move round, but with a very stiff Motion; so that when it is adjusted to any Point of the Ecliptic, which you desire the Equator may intersect, the Diurnal Motion of the Globe on its Axis will not be able to disturb it.

When it is to be adjusted for any Time, past or to come, bring one of the brasen Shoulders under the Meridian, and holding it fast to the Meridian with one Hand, turn the Globe so about with the other, that the Point of the Ecliptic, which you would have the Equator to intersect, may pass under no Degrees of the brasen Meridian: Then holding a Pencil perpendicular to that Point, and turning the Globe about, it will describe the Equator as it was posited at that Time; and transferring the Pencil to 23 Degrees and an half, and 66 Degrees and an half on the brasen Meridian, the Tropics and Polar Circles will be described for the same Time.

By

By this Contrivance, the Celestial Globe may be so adjusted as to exhibit not only the Risings and Settings of the Stars, in all Ages, and in all Latitudes, but the other *Phænomena* likewise, that depend upon the Motion of the Diurnal Axis round the Annual Axis.

See the Scheme, TAB. II. FIG. 3.

aaaa. A Section of the Celestial Globe.

EE. A strong Iron Axis, passing through the Poles of the Ecliptic.

bc. Two strong Arms of Brass, screw'd on to the Ends of the Iron Axis, at *d*.

PP. The Axis or Poles of the Diurnal Motion, (by which the Globe is hung in the brasen Meridian) rivetted on to the other Ends of the brass Arms, and which may be carried round the Poles of the Ecliptic, by the Iron Axis, but with so stiff a Motion, as not to disturb the Diurnal Rotation on the Poles *PP*.